

Safety Data Sheet acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915, 1926

1 Identification

- · Product identifier
 - · Trade name: EP68 4 in 1 Carpet Cleaner
 - · Article number: 2049257001, 2049278001
 - · Recommended use Carpet Cleaner
 - · Restrictions on use

All other uses than those indicated on the product label and technical data sheet.

- · Details of the supplier of the safety data sheet
 - · Manufacturer:

Avmor LTD 950, Michelin Laval, QC, Canada H7L 5C1

1-800-387-8074

www.avmor.com

- · Client Identification Number 119100
- · Emergency telephone number: CANUTEC 1-613-996-6666

2 Hazard(s) identification

· Classification of the product:



GHS07

Skin Irrit. 2 H315 CAUSES SKIN IRRITATION.

Eye Irrit. 2A H319 CAUSES SERIOUS EYE IRRITATION.

- · Label elements
 - · Hazard pictograms:



GHS07

- · Signal word: Warning
- · Hazard-determining components of labeling:

Alcohols C7-21 Ethoxylated

· Hazard statements:

H315 CAUSES SKIN IRRITATION.

H319 CAUSES SERIOUS EYE IRRITATION.

(Contd. on page 2)

acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915, 1926

Trade name: EP68 4 in 1 Carpet Cleaner

(Contd. of page 1)

· Precautionary statements

P280 Wear protective gloves and eye or face protection.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 IF EYE IRRITATION PERSISTS: Get medical attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 IF SKIN IRRITATION OCCURS: Get medical attention.
Take off contaminated clothing and wash it before reuse.

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 1 Fire = 0 Reactivity = 0

· Hazard not otherwise classified None

· **Notes:** For the wording of the listed abbreviations refer to section 16.

3 Composition/information on ingredients

· Dangerous components:

C A S Component (% w/w)

68991-48-0	Alcohols C7-21 Ethoxylated	3-<10%
7722-84-1	Hydrogen Peroxide	1-≤2.5%
1310-73-2	Sodium Hydroxide	0.1-<0.3%

4 First-aid measures

- General information:
- · After inhalation:

In case of unconsciousness place patient stably in side position for transportation. Get medical attention.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After ingestion: If symptoms persist consult a doctor.
- · Information for doctor:
 - · Most important symptoms and effects, both acute and delayed No further relevant information available.

5 Fire-fighting measures

- · Suitable extinguishing media
 - · Suitable extinguishing media Use fire fighting measures that suit the environment.

(Contd. on page 3)

acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915, 1926

Trade name: EP68 4 in 1 Carpet Cleaner

(Contd. of page 2)

· Specific hazards arising from the product

In case of accidental fire and extreme heat conditions, the following gaseous products can be released after water evaporation: hydrocarbons, carbon monoxides and dioxides (COx) and nitrogen dioxide (NOx).

- · Advice for firefighters
- · Special protective equipment and precautions for fire-fighters No special measures required.
- · Additional information This product is not flammable.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear recommended protective equipment(s). Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Surround and absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation at the workplace.

Prevent formation of aerosols.

- · Conditions for safe storage, including any incompatibilities
 - · Requirements to be met by storerooms and receptacles: No special requirements.
 - · Information about storage in one common storage facility: Not required.
 - · Conditions for safe storage, including any incompatibilities

Keep in the original receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Appropriate engerering controls Ensure appropriate aeration and ventilation.
- · Control parameters

. Components with	h limit values the	at require monitoring	at the workplace

7722-84-1 Hydrogen Peroxide

EL (Canada) Long-term value: 1 ppm

EV (Canada) Long-term value: 1.4 mg/m³, 1 ppm

1310-73-2 Sodium Hydroxide

EL (Canada) Ceiling limit value: 2 mg/m³

EV (Canada) Ceiling limit value: 2 mg/m³

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915, 1926

Trade name: EP68 4 in 1 Carpet Cleaner

(Contd. of page 3)

- Exposure controls
 - · Personal protective equipment:



Tightly sealed goggles



Protective gloves

· General protective and hygienic measures:

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves
- · Eye protection: Tightly sealed goggles
- · Body protection: Protective work clothing

9 Physical and chemical properties

 Information on basic physical and ch General Information 	nemical properties
· Appearance:	
· Form:	Liquid
· Colour:	Colorless.
· Odour:	Surfactant
· Odour threshold:	Not determined.
· pH-value at 25 °C:	5.5-6.5
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 100 °C
· Flash point:	165 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	235 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: · Lower:	Not determined.
	(Contd. on page 5)

acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915, 1926

Trade name: EP68 4 in 1 Carpet Cleaner

		(Contd. of page
· Upper:	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
· Density at 25 °C:	1.000-1.015 g/cm ³	
· Relative density	Not determined.	
· Vapour density (air=1)	<1 (aqueous solution)	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
· Water:	Fully miscible	
· Partition coefficient (n-octanol/w	vater): Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
· Solvent content:		
· Organic solvents:	0.0 %	

10 Stability and reactivity

- · Reactivity Not determined.
 - · Chemical stability
 - Thermal decomposition / conditions to be avoided:
 No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid freezing and extreme heat conditions.
- · Incompatible materials: This product may react with strong oxidizing agents.
- · Hazardous decomposition products:

In case of decomposition: carbon monoxide and carbon dioxide and traces of volatile halogenated compounds.

11 Toxicological information

- · Information on the likely routes of exposure Skin and eyes contact
- · Acute toxicity:
 - · Numerical mesures of toxicity

	ponents n of exposu	Type re	Value (Species)	
ATE (Acu	ite Toxicity	Estimates)		
Oral	LD50	74396 mg/kg (rat)		
Dermal	LD50	18944 mg/kg		
Inhalative	LC50 (4 h)	740 mg/L		

- · Symptomes related to the physical, chemical and toxiological characteristics
 - · by inhalation:

Vapours may cause irritation to the airways. Inhalation of larger amounts may induce discomfort, nausea, dizziness, headache, narcosis, and unconsciousness.

· If on the skin: Irritant to skin and mucous membranes.

(Contd. on page 6)

acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915, 1926

Trade name: EP68 4 in 1 Carpet Cleaner

(Contd. of page 5)

- · If on the eye: Irritating effect.
- after ingestion: May cause irritation of the gastrointestinal tract, nausea, vomiting and headache.
- · Sensitization: No sensitizing effects known.
- Delayed and immediate effects, and chronic effects from short-term and long-term exposure

 Prolonged or frequent contact can cause eczema and inflammation of the skins as a results of degreasing.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

İrritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7722-84-1 Hydrogen Peroxide	3
· NTP (National Toxicology Program)	

None of the ingredients is listed.

12 Ecological information

· Persistence and degradability

Organic compounds of this product are readily biodegradable according to the OECD Guideline 301.

- Behavior in environmental systems:
- · Bioaccumulative potential Does not accumulate in organisms
- · Mobility in soil No further relevant information available.
- · Ecotoxicity No relevant information available
 - General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- · Waste treatment methods
 - · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system unless significantly diluted or neutralized.

- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.
 - · Recommended cleansing agent: Water.

14 Transport information

· DOT, ADN, IMDG, IATA	Not regulated.	
 UN proper shipping name DOT 	Not regulated.	

(Contd. on page 7)

acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915, 1926

Trade name: EP68 4 in 1 Carpet Cleaner

		(Contd. of page 6)
Transport hazard class(es)Class	Not regulated.	
· Packing group · DOT	Not regulated.	
 Environmental hazards: Marine pollutant: 	No	
Transport in bulk according to Annomale MARPOL73/78 and the IBC Code	ex II of Not applicable.	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

7722-84-1 Hydrogen Peroxide

А3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of creation/last revision: 07/03/2015
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 8)

Safety Data Sheet acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915, 1926

Trade name: EP68 4 in 1 Carpet Cleaner

(Contd. of page 7)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

CA -