





General Purpose Cleaner Degreaser

Packaging

4 x 1,8 L (4 x 0.48 US gal) 1991257001 4 x 4 L (4 x 1.06 US gal) 1991278001 20 L (5.28 US gal) 1991334001

Application Dilution

Light to medium duty soils 1:64 Heavy duty soils

Description:

EP65 General Purpose Cleaner Degreaser will clean, degrease, brighten floors, windows, walls, countertops, cabinets, sinks, partitions, ledges, ceilings, concrete, terrazzo, quarry tile, tile grouting, garbage cans, dumpsters, garbage disposals, malodours, cooking odours, light fixtures, stainless steel, chrome, plastic, vinyl, appliances, desks, porcelain, porcelain enamel and other surfaces not harmed by water. It will effectively remove industrial grease and oil, animal fats, permanent marker ink, crayons, ballpoint ink, heavy finish build-ups, fingerprints and most water based or oil based soils. EP65 is safer and more effective for use in hospitals, schools, food service, kitchens, restrooms, shower rooms, hotels, gymnasiums, offices, lunchrooms, jails, fitness centers and virtually every other kind of facility. Organic ingredients in this product are readily biodegradable in accordance with OECD 301 standard.

Av-mixx Use Directions:

- **Please note: To avoid excess foaming, place Av-mixx hose at the bottom of the spray bottle and/or bucket.
- 1) For floor cleaning, using the Av-mixx dilution control system fill either an auto scrubber or mop bucket using the high flow button (select button with the mop bucket icon) and cold water. EP65 will automatically be diluted at 1:64.
- For general cleaning and degreasing, using the Av-mixx dilution control system fill a spray bottle using the low flow button (select button with the spray bottle icon) and cold water. EP65 will automatically be diluted at 1:32.
- 3) Agitation may speed up the cleaning action.
- 4) Once soils are loosened simply wash away with a mop or cloth.

Standard Use Directions:

**Please note: To avoid excess foaming, pour water first and then EP65.

Light to Medium Duty Soils: For buckets or autoscrubbers, mix 60 ml (2 oz) of EP65 per 3.78 L (1 gallon) of cold water using the portion aid provided. For 946 ml (32 oz) spray bottles, mix 15 ml (1/2 oz) of EP65 using cold water.

Heavy Duty Soils: For buckets or autoscrubbers, mix 120 ml (4 oz) of EP65 per 3.78 L (1 gallon) of cold water using the portion aid provided. For 946 ml (32 oz) spray bottles, mix 30 ml (1 oz) of EP65 using cold water.

- 1) Apply solution to surface being cleaned.
- 2) Agitation may speed up the cleaning action.3) Once soils are loosened simply mop or wipe with a cloth.

PRODUCT CERTIFIED ()

Security:

HEALIH	
FLAMMABILITY	(
REACTIVITY	(
PERSONAL PROT	ECTION >
X =	See SDS
0 = In	nsignifican
1 =	Sligh
2 =	Moderate
3 =	High
4 -	Evtreme

Note:

The data presented herein is based on experiments and information believed reliable. However, we can make no guarantee on performance of, or results obtained through the use of the product herein described owing to varying conditions in laboratories and plants over which we have no control. Neither can any guarantee be given that the products or uses outlined will not infringe any existing patents.

Precautions for food plants:

Equipment and surfaces subjected to direct food contact must be thoroughly rinsed with potable water after cleaning with this product. Avoid contamination of food during use. Do not store in food-processing or food-storage area.

Technical Specifications:

Appearance	Liquid
Colour	Green
Odour	surfactant
Specific Gravity	1.000 – 1.024
pH	5.5 – 6.8
Refractive index (% Brix)	13.5 – 14.5%









950 Michelin, Laval, Québec, Canada H7L 5C1 Tel.: (450) 629-3800 Fax: (450) 629-4355 www.avmor.com e-mail: clientservice@avmor.com